

**IN THE CLAIMS:**

1. (Currently Amended) An isolated koji mold having increased protease activity and peptidase activity in relation to a parent strain resulting from transformation with a protease nucleic acid sequence and a peptidase nucleic acid sequence, wherein the isolated koji mold has at least 3 times greater protease activity and at least 5 times greater peptidase activity than the parent strain.

2. (Previously Presented) The isolated koji mold according to claim 1, wherein the protease nucleic acid sequence and the peptidase nucleic acid sequence are of koji mold origin.

3. (Previously Presented) The isolated koji mold according to claim 1, wherein said isolated koji mold is a member of *Aspergillus sojae*, *Aspergillus oryzae*, or *Aspergillus tamarii*.

4. (Previously Presented) The isolated koji mold according to claim 3, wherein the protease nucleic acid sequence and the peptidase nucleic acid sequence are of koji mold origin.

5. (Previously Presented) A method of breeding the isolated koji mold according to any one of claims 1 to 4 comprising the steps of:

(a) transforming a parent strain of koji mold with a protease nucleic acid sequence and a peptidase nucleic acid sequence; and,

(b) selecting a transformant having increased protease activity and peptidase activity relative to said parent strain.

FINNEGAN  
HENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com

6. (Previously Presented) A method of manufacturing a flavor enhancer which comprises allowing a culture product of the isolated koji mold according to any one of claims 1 to 4 to act on a protein.

7. (Previously Presented) A flavor enhancer obtainable by allowing a culture product of the isolated koji mold according to any one of claims 1 to 4 to act on a protein.

8. (Currently Amended) ~~The isolated koji mold of claim 1,~~ An isolated koji mold having increased protease activity and peptidase activity in relation to a parent strain resulting from transformation with a protease nucleic acid sequence and a peptidase nucleic acid sequence, wherein the protease nucleic acid sequence encodes the same amino acid sequence as that encoded by the nucleotide sequence of SEQ ID NO:2, and the peptidase nucleic acid sequence encodes the same amino acid sequence as that encoded by the nucleotide sequence of SEQ ID NO:1.

9. (Cancel).

10 - 12. (Not entered)

FINNEGAN  
HENDERSON  
FARABOW  
GARRETT &  
DUNNER <sup>LLP</sup>

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com